



## We keep on working against corrosion

# SPECIAL CYLINDER

## Heila Anti-Corrosion Programm

Heila Cranes offers multiple solutions to increase the lifetime of the marine cylinders exposed to the marine and offshore environment

#### INCREASE VALUE AND EFFICIENCY







The corrosion resistance of the very hard **HD4+** coating is very durable due to the unique compressive resistance characteristics that keep **HD4+** coating free from micro-cracks.

The exceptional bonding high degree resistance of substrate makes **HD4+** the most suitable treatment for harshest environment.

The resistance to scratches is remarkable. Normally finished **HD4+** coatings have a roughness of Ra =  $0.1-0.3 \mu m$  (0.0039-0.0118").





#### THE ANTI-CORROSION MATERIAL

New cylinder material **H.D. FOUR STARS** representing the best possible solution for longer hydraulic cylinder rod lifetime.


An innovative solution of stainless steel material with the latest combination of Nickel-chromium advantages.


The new cylinder material **H.D. FOUR STARS**, combines the best peculiar steel properties so far pursued to reach high performance during operation in the most severe conditions.

Specifically designed to resist

under mechanical stress **H.D. FOUR STARS** material has also acquired the ultimate EPQ corrosion approval.











#### **TECHNICAL BENEFITS HEILA DURABILITY**

## NO RUST

and no subsurface corrosion with better proved resistance to corrosion

#### NO OIL LEAKAGE

due to very high scratch resistance

#### NO PEELING PROCESS

due to accidents but only localized deformations

## NO SEAL WEAR

due to high hardness and lower friction on seals

## We keep on working against corrosion

# **FOCUS ON KEY-POINTS**

## Heila Anti-Corrosion Program

Integrated technical and structural solutions, with care for innovative components to guarantee proper and long lifetime of the sealings and complete crane structure for operating in harsh environments

#### INCREASE VALUE AND EFFICIENCY

#### SURFACE TREATMENT **PROCESS**

Heila coating surface process ensures to our products the right features to prevent marine corrosion.

All external and internal surfaces are treated for a long-term corrosion resistance in accordance with C5M HIGH DURABILITY ISO 12944.

#### STRUCTURAL SOLUTIONS

The process begin trough specific design solutions adopted to facilitate the correct adhesion of the protective coating




#### SURFACE PREPARATION

In house sandblasting process using Garnet blast grits size 20/40 red color, able to grant a surface preparation in class SA 2,5 ISO 8501-1



metallization Flame thermal spraying) is a highly effective and proven method of anti-corrosion treatment obtained with a layer of Zinc and aluminum coatings applied on the steel base through a thermal spraying system.



**SURFACE PAINTING PROCESS** 

process, granting an ambient with air humidity less than 60% during the whole painting phases. Heila standard program grants a painting final treatment in respect of ISO 12944-5 C5M with a total paint thickness of minimum 280 micron.

thickness of minimum 350 micron.



# STANDARD SURFACE PAINTING PROCESS

Two component, polyurethane topcoat

Second coat Two-component. polyamide adduct cured

Two-component, zinc rich epoxy primer

**80-100 μ** Hempel Hempathane HS 55610

**140-160π** Hempel Hempadur Mastic 45880

**60-80 μ** Hempel Hempadur Pro-Zinc 17360

Corrosion is a natural process, which converts a refined metal to a more stable form, such as its oxide or hydroxide.

It is the gradual destruction of materials (usually metals) by chemical reaction with their environment. [From Wikipedia, the free encyclopedia]



## SPECIAL ANTI-CORROSION PROGRAM

ANTI-CORROSION MATERIAL - Heila Durability Four Stars: HD4\*

ANTI-CORROSION TREATMENT - Heila Durability Four Plus: HD4+



#### LOCKING SYSTEM ACCORDING TO DIN 15058

A stainless steel plate lock the chrome treated pin and it is fastened with stainless steel screws.





manually applied on each hydraulic connection. This ozone free special tape permits to isolate and seals the connection.

On request flexible hoses fittings can be provided in stainless steel material.

## PROTECTED BY SILICONE

The silicone provides the perfect protection for outdoor environments. All screws and bolts are manually protected with silicone and later painted in order to avoid water stagnation and prevent dangerous rusting point.







#### SPIRAL GUARDS TO PROTECT FLUID POWER HOSES AND MULTIPLE CABLING

All electric cables and flex hoses are appositely wrapped with spiral guards. Solution for abrasion crush, UV, ozone, low temperature.



#### **RIGID PIPES**

All hydraulic pipelines are of stainless steel 316-L with stainless fittings steel AISI316L, according to DIN EN ISO 8434-1



#### **SLEW BEARING BOLTS & NUTS**

GEOMET 500 B grade treatment, according to ISO 9227, increases the bolts and nuts resistance in salty environment up to 1000 hours. This permits robust, low abrasion, temperature-resistant, blow-resistant characteristics and provide good sealing features.



## PLASTIC PROTECTIVE CAPS

The caps provide the perfect protection for outdoor environments.



## STAINLESS STEEL JUNCTION BOXES AND ENCODERS

Boxes specially designed for applications in Oil & Gas sector. Standard with protection IP66















Heila Cranes S.p.A. Via Romana, 34/6 - 42028 Poviglio (R.E) - Italy Phone +39 0522 966352 Fax +39 0522 960391 info@heila.com | www.heila.com